The perfect ride-on solution for scrubbing and drying

The AS710R/AS850R is medium-sized ride-on scrubber dryers and the perfect solution for scrubbing and drying in heavy-trafic areas.

Ideally suited for daily indoor cleaning in

mid-sized areas of railway stations, parking areas, shopping malls, exhibition centers, schools, hotels, public institutions and other commercial environments larger than 5000m².

They are ideal for cleaning all kind off floors such as tiled floor, vinyl floor, sealed wood floor, marble, concrete etc.

AS710R/AS850R have modern styling and are compact, robust and easy to use. As standard, the machines are delivered with the following accessoiries: brush x 2, pad holder x 2, squeegee, on-board charger, and batteries 6V x 4. Front bumper and warning lamp is optional for the machine.

- Simple and easy to operate: Intuitive dashboard, one touch button and userfriendly menu for operation settings
- Robust and powerful: Use mechanical way to lift or lower the brush or squeegee. And the optional front bumper protects the machine for longer life-time
- Reliable and safety: Automatic reduce speed control and ergonomic
 Picture shown may not represent model quoted
 seat with safety switch. Built-in squeegee hanging system on recovery tank for easy machine transfer in narrow areas
- · Storage for cell-phone or other gadgets, USB port provides a fast solution for charging your cell-phone
- · An integrated on-board charger enables easy plug-in and battery charge at any outlet
- · Large opening to the recovery tank allows easy cleaning



| Standard equipment | | | | | | |
|--|--|---------|---|---|--|---|
| | Included accessories Ref. no. Ref. no. Ref. no. Ref. no. AS710R-EU RIDE-ON SCRUBBER 24V AS710R-US RIDE-ON SCRUBBER 24V AS710R-US RIDE-ON SCRUBBER 24V | | | | AS710R-NB RIDE-ON SCRUBBER NO BATTERY | |
| Pad Holder | | | | | | |
| (0) | PAD HOLDER 355MM 14 | VR14303 | 2 | • | • | • |
| | PAD HOLDER 406MM 16" | VR19121 | 2 | | | |
| Disc Brush | | | | | | |
| 9 | BRUSH DISC 355MM 14 PPL | VR14300 | 2 | • | • | • |
| | BRUSH PPL 406MM 16" | VR19120 | 2 | | | |
| Deck Blade | | ' | | | 1 | |





| | Included accessories | Ref. no. | Min. required | AS710R-EU RIDE-ON SCRUBBER 24V | AS710R-US RIDE-ON SCRUBBER 24V | AS710R-NB RIDE-ON SCRUBBER NO BATTERY |
|--------------------|-----------------------------------|----------|------------------|---|---|--|
| 1001 | BLADE SIDE SKIRT RUBBER KIT | VR14015 | 2 | • | • | • |
| | BLADE SIDE SKIRT RUBBER KIT | VR19123 | 2 | | | |
| Squeegee Bla | ade | | | | , | |
| | BLADE SQUEEGEE FRONT PU 940MM 37 | VR16002 | 1 | • | • | • |
| | BLADE SQUEEGEE REAR PU 940MM 37 | VR16003 | 1 | • | • | • |
| | BLADE SQUEEGEE FRONT PU 1020MM 40 | VF84207 | 0 | | | |
| | BLADE SQUEEGEE REAR PU 1020MM 40 | VF84208 | 0 | | | |
| On-Board Ch | arger | | | | | |
| | CHARGER ON BOARD KIT US | VR13442 | 1 | | • | |
| Viper Access | ory | | | | | |
| €. | CHARGER ON BOARD KIT EU | VR13240 | 1 | • | | • |
| | KIT FRONT BUMPER | VR10027 | 1 | • | • | • |
| Standard equipment | | | | | | |
| | | | | | | |

| | Included accessories | Ref. no. | Min. required | AS850R-EU RIDER NO BATTERY NO CHARGER | AS850R-TR RIDER NO BATTERY NO CHARGER | AS850R-US RIDER NO BATTERY WITH CHARGER |
|------------|----------------------|----------|------------------|--|--|---|
| Pad Holder | | | | | | |
| (0) | PAD HOLDER 355MM 14 | VR14303 | 2 | | | |



| | Included accessories | Ref. no. | Min. required | AS850R-EU RIDER NO BATTERY NO CHARGER | AS850R-TR RIDER NO BATTERY NO CHARGER | AS850R-US RIDER NO BATTERY WITH CHARGER |
|------------------|-----------------------------------|----------|------------------|--|--|---|
| | PAD HOLDER 406MM 16" | VR19121 | 2 | • | • | • |
| Disc Brush | | | | | | |
| | BRUSH DISC 355MM 14 PPL | VR14300 | 2 | | | |
| | BRUSH PPL 406MM 16" | VR19120 | 2 | • | • | • |
| Deck Blade | | | | | | |
| HUII | BLADE SIDE SKIRT RUBBER KIT | VR14015 | 2 | | | |
| | BLADE SIDE SKIRT RUBBER KIT | VR19123 | 2 | • | • | • |
| Squeegee Bla | ade | | | | | |
| | BLADE SQUEEGEE FRONT PU 940MM 37 | VR16002 | 1 | | | |
| | BLADE SQUEEGEE REAR PU 940MM 37 | VR16003 | 1 | | | |
| | BLADE SQUEEGEE FRONT PU 1020MM 40 | VF84207 | 0 | • | • | • |
| | BLADE SQUEEGEE REAR PU 1020MM 40 | VF84208 | 0 | • | • | • |
| On-Board Charger | | | | | | |
| | CHARGER ON BOARD KIT US | VR13442 | 1 | | | • |
| Viper Access | ory | | | | | |
| ₭. | CHARGER ON BOARD KIT EU | VR13240 | 1 | | | |



The perfect ride-on solution for scrubbing and drying

| Included accessories | | Ref. no. | Min. required | AS850R-EU RIDER NO BATTERY NO CHARGER | AS850R-TR RIDER NO BATTERY NO CHARGER | AS850R-US RIDER NO BATTERY WITH CHARGER |
|----------------------|------------------|----------|------------------|--|--|---|
| | KIT FRONT BUMPER | VR10027 | 1 | • | • | • |

Standard equipment

| | Included accessories | Ref. no. | Min. required | AS850R-CN RIDER - BATTERY AND CHARGER |
|--------------|----------------------------------|----------|------------------|---|
| Pad Holder | | | | |
| • | PAD HOLDER 355MM 14 | VR14303 | 2 | |
| | PAD HOLDER 406MM 16" | VR19121 | 2 | • |
| Disc Brush | | | | |
| | BRUSH DISC 355MM 14 PPL | VR14300 | 2 | |
| | BRUSH PPL 406MM 16" | VR19120 | 2 | • |
| Deck Blade | | | | |
| WH | BLADE SIDE SKIRT RUBBER KIT | VR14015 | 2 | |
| | BLADE SIDE SKIRT RUBBER KIT | VR19123 | 2 | • |
| Squeegee Bla | nde | | | |
| | BLADE SQUEEGEE FRONT PU 940MM 37 | VR16002 | 1 | |
| | BLADE SQUEEGEE REAR PU 940MM 37 | VR16003 | 1 | |



| | Included accessories | Ref. no. | Min. required | AS850R-CN RIDER - BATTERY AND CHARGER | |
|--------------|-----------------------------------|----------|------------------|---|--|
| | BLADE SQUEEGEE FRONT PU 1020MM 40 | VF84207 | 0 | • | |
| | BLADE SQUEEGEE REAR PU 1020MM 40 | VF84208 | 0 | • | |
| On-Board Ch | arger | | , | | |
| | CHARGER ON BOARD KIT US | VR13442 | 1 | | |
| Viper Access | Viper Accessory | | | | |
| . | CHARGER ON BOARD KIT EU | VR13240 | 1 | | |
| | KIT FRONT BUMPER | VR10027 | 1 | • | |

| Model | AS710R-EU RIDE- ON SCRUBBER 24V | AS710R-US RIDE- ON SCRUBBER 24V | AS710R-NB RIDE- ON SCRUBBER NO BATTERY |
|---------------------------------------|---------------------------------------|---------------------------------------|--|
| Ref. no. | 50000315 | 50000318 | 50000379 |
| PRODUCT FEATURES | | | |
| Front and rear bumpers | • | • | • |
| Padholder included | • | • | • |
| Battery charger | • | • | • |
| Battery version | • | • | • |
| Recovery emptying hoses | • | • | • |
| Disc deck: 2 brushes | • | • | • |
| Water level indicator | • | • | • |
| Delivered ready to use (full package) | • | • | • |
| Onboard squeegee storage | • | • | • |



| Model | AS850R-EU RIDER NO BATTERY NO CHARGER | AS850R-TR RIDER NO BATTERY NO CHARGER | AS850R-US RIDER NO BATTERY WITH CHARGER |
|---------------------------------------|---|---|---|
| Ref. no. | 50000552 | 50000553 | 50000554 |
| PRODUCT FEATURES | | | |
| Front and rear bumpers | • | • | • |
| Padholder included | • | • | • |
| Battery charger | | | |
| Battery version | • | • | • |
| Recovery emptying hoses | • | • | • |
| Disc deck: 2 brushes | • | • | • |
| Water level indicator | • | • | • |
| Delivered ready to use (full package) | | | |
| Onboard squeegee storage | • | • | • |
| Model | | | AS850R-CN RIDER - BATTERY AND CHARGER |
| Ref. no. | | | 50000555 |
| PRODUCT FEATURES | | | |
| Front and rear bumpers | | | • |
| Padholder included | | | • |
| Battery charger | | | |
| Battery version | | | • |
| Recovery emptying hoses | | | • |
| Disc deck: 2 brushes | | | • |
| Water level indicator | | | • |
| Delivered ready to use (full package) | | | |
| Onboard squeegee storage | | | • |
| Technical specifications | AS710R-EU RIDE- ON SCRUBBER 24V | AS710R-US RIDE- ON SCRUBBER 24V | AS710R-NB RIDE- ON SCRUBBER NO BATTERY |
| Drive motor hp (W) | 500 | 500 | 500 |
| Brush motor (W) | 2X300 | 2X300 | 2X300 |
| Vacuum motor power (W) | 500 | 500 | 500 |
| Battery type | 6V 245Ah/C20 AGM 4PCS | 6V 245Ah/C20 AGM 4PCS | 6V 245Ah/C20 AGM 4PCS |
| Vacuum (mm H2O) | 1800 | 1800 | 1800 |
| Sound pressure level (dB(A)) | 69 | 69 | 69 |
| Productivity rate (m²/h) | 4413 sq m/h | 4413 sq m/h | 4413 sq m/h |
| Cleaning width (mm) | 710mm | 28in | 710mm |



| Technical specifications | AS710R-EU RIDE- ON SCRUBBER 24V | AS710R-US RIDE- ON SCRUBBER 24V | AS710R-NB RIDE- ON SCRUBBER NO BATTERY |
|---|---------------------------------------|---------------------------------------|--|
| Min. aisle turn (cm) | 177,3 | 177,3 | 177,3 |
| Max. climbing rate (%) | 10 | 10 | 10 |
| Solution tank (I) | 120 | 32gal | 120 |
| Recovery tank (I) | 120 | 32gal | 120 |
| Drive wheels (cm) | 25 | 25 | 25 |
| Squeegee width (mm) | 940 | 37in | 940 |
| Brush diameter (mm) | 355 x 2 | 14in x2 | 355 x 2 |
| Brush pressure (kg) | 35 | 77 lb | 35 |
| Brush speed (RPM) | 204 | 204 | 204 |
| Dimensions, L x W x H (mm) | 1730x810x1410 (package) | 68.11 x 31.89 x 55.5in (package) | 1730x810x1410 (package) |
| Length x width x height (mm) | 1580x760x1230 (machine) | 1580x760x1230 (machine) | 1580x760x1230 (machine) |
| Battery compartment size (L x W x H) (mm) | 610x408x365 | 24x16x14,3 in | 610x408x365 |
| Net weight (kg) | 225 | 771.6 lb | 225 |
| Max. shipping weight | 435 | 959lb | 435 |
| Charging system | 24V 25A | 24V 25A | 24V 25A |
| Max. speed (km/h) | 6km/h | 3.7mph | 6km/h |
| Technical specifications | AS850R-EU RIDER | AS850R-TR RIDER | AS850R-US RIDER |

| Technical specifications | AS850R-EU RIDER NO BATTERY NO CHARGER | AS850R-TR RIDER NO BATTERY NO CHARGER | AS850R-US RIDER NO BATTERY WITH CHARGER |
|------------------------------|---|---|---|
| Drive motor hp (W) | 500 | 500 | 0.67hp |
| Brush motor (W) | 2x300 | 2x300 | 2X0.4hp |
| Vacuum motor power (W) | 500 | 500 | 0.67hp |
| Battery type | | | |
| Vacuum (mm H2O) | 1800 | 1800 | 1800 |
| Sound pressure level (dB(A)) | 69 | 69 | 69 |
| Productivity rate (m²/h) | 5130 | 5130 | 55219 ft²/h |
| Cleaning width (mm) | 810 | 810 | 31.8in |
| Min. aisle turn (cm) | 182,5 | 182,5 | 182,5 |
| Max. climbing rate (%) | 10 | 10 | 10 |
| Solution tank (I) | 120 | 120 | 32gal |
| Recovery tank (I) | 120 | 120 | 32gal |
| Drive wheels (cm) | 25 | 25 | 9.8in |
| Squeegee width (mm) | 1060 | 1060 | 41.7in |
| Brush diameter (mm) | 406 x 2 | 406 x 2 | 16in x2 |
| Brush pressure (kg) | 40 | 40 | 88 lb |
| Brush speed (RPM) | 204 | 204 | 204 |



| AS850R-EU RIDER NO BATTERY NO CHARGER | AS850R-TR RIDER NO BATTERY NO CHARGER | AS850R-US RIDER NO BATTERY WITH CHARGER |
|---|--|--|
| 1580x890x1230 | 1580x890x1230 | 62.2x35x48.48 inch |
| 1580x890x1230 | 1580x890x1230 | 62.2x35x48.48 inch |
| 610x408x365 | 610x408x365 | 24x16x14,3 inch24x16x14,3 in |
| 230 | 230 | 507 lbs |
| 440 | 440 | 970lbs |
| | | |
| 6 | 6 | 3.7mph |
| | NO BATTERY NO CHARGER 1580x890x1230 1580x890x1230 610x408x365 230 440 | NO BATTERY NO CHARGER 1580x890x1230 1580x890x1230 1580x890x1230 1580x890x1230 610x408x365 230 230 440 440 |

| Drive motor hp (W) 500 Brush motor (W) 500 Pattery type 500 Vacuum (mm H2O) 1800 Sound pressure level (dB(A)) 69 Productivity rate (m³/h) 5130 Cleaning width (mm) 810 Min. aisle turn (cm) 182,5 Max. climbing rate (%) 10 Solution tank (l) 120 Drive wheels (cm) 25 Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pseed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Technical specifications | AS850R-CN RIDER - BATTERY AND CHARGER |
|--|---|---|
| Vacuum motor power (W) 500 Battery type 1800 Vacuum (mm H2O) 1800 Sound pressure level (dB(A)) 69 Productivity rate (m²/h) 5130 Cleaning width (mm) 810 Min. aisle turn (cm) 182,5 Max. climbing rate (%) 10 Solution tank (l) 120 Recovery tank (l) 120 Drive wheels (cm) 25 Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Drive motor hp (W) | 500 |
| Battery type 1800 Yacuum (mm H2O) 1800 Sound pressure level (dB(A)) 69 Productivity rate (m²/h) 5130 Cleaning width (mm) 810 Min. aisle turn (cm) 182,5 Max. climbing rate (%) 10 Solution tank (l) 120 Recovery tank (l) 25 Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Brush motor (W) | 2x300 |
| Vacuum (mm H2O) 1800 Sound pressure level (dB(A)) 69 Productivity rate (m²/h) 5130 Cleaning width (mm) 810 Min. aisle turn (cm) 182,5 Max. climbing rate (%) 10 Solution tank (l) 120 Recovery tank (l) 120 Drive wheels (cm) 25 Squeegee width (mm) 1060 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Vacuum motor power (W) | 500 |
| Sound pressure level (dB(A)) 69 Productivity rate (m²/h) 5130 Cleaning width (mm) 810 Min. aisle turn (cm) 182,5 Max. climbing rate (%) 10 Solution tank (l) 120 Recovery tank (l) 120 Drive wheels (cm) 25 Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Battery type | |
| Productivity rate (m²/h) 5130 Cleaning width (mm) 810 Min. aisle turn (cm) 182,5 Max. climbing rate (%) 10 Solution tank (l) 120 Recovery tank (l) 120 Drive wheels (cm) 25 Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Vacuum (mm H2O) | 1800 |
| Cleaning width (mm) 810 Min. aisle turn (cm) 182,5 Max. climbing rate (%) 10 Solution tank (l) 120 Recovery tank (l) 120 Drive wheels (cm) 25 Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Sound pressure level (dB(A)) | 69 |
| Min. aisle turn (cm) 182,5 Max. climbing rate (%) 10 Solution tank (I) 120 Recovery tank (I) 120 Drive wheels (cm) 25 Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Productivity rate (m²/h) | 5130 |
| Max. climbing rate (%) 10 Solution tank (I) 120 Recovery tank (I) 120 Drive wheels (cm) 25 Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system | Cleaning width (mm) | 810 |
| Solution tank (I) 120 Recovery tank (I) 120 Drive wheels (cm) 25 Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Min. aisle turn (cm) | 182,5 |
| Recovery tank (I) 120 Drive wheels (cm) 25 Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Max. climbing rate (%) | 10 |
| Drive wheels (cm) 25 Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Solution tank (I) | 120 |
| Squeegee width (mm) 1060 Brush diameter (mm) 406 x 2 Brush pressure (kg) 40 Brush speed (RPM) 204 Dimensions, L x W x H (mm) 1580x890x1230 Length x width x height (mm) 1580x890x1230 Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system 440 | Recovery tank (I) | 120 |
| Brush diameter (mm) Brush pressure (kg) Brush speed (RPM) Dimensions, L x W x H (mm) Length x width x height (mm) Battery compartment size (L x W x H) (mm) Net weight (kg) Max. shipping weight Charging system | Drive wheels (cm) | 25 |
| Brush pressure (kg) Brush speed (RPM) Dimensions, L x W x H (mm) Length x width x height (mm) Battery compartment size (L x W x H) (mm) Net weight (kg) Max. shipping weight Charging system | Squeegee width (mm) | 1060 |
| Brush speed (RPM) Dimensions, L x W x H (mm) Length x width x height (mm) Battery compartment size (L x W x H) (mm) Net weight (kg) Max. shipping weight Charging system | Brush diameter (mm) | 406 x 2 |
| Dimensions, L x W x H (mm) Length x width x height (mm) Battery compartment size (L x W x H) (mm) Net weight (kg) Max. shipping weight Charging system | Brush pressure (kg) | 40 |
| Length x width x height (mm) Battery compartment size (L x W x H) (mm) Net weight (kg) Max. shipping weight Charging system | Brush speed (RPM) | 204 |
| Battery compartment size (L x W x H) (mm) 610x408x365 Net weight (kg) 230 Max. shipping weight 440 Charging system | Dimensions, L x W x H (mm) | 1580x890x1230 |
| Net weight (kg) Max. shipping weight Charging system | Length x width x height (mm) | 1580x890x1230 |
| Max. shipping weight Charging system | Battery compartment size (L x W x H) (mm) | 610x408x365 |
| Charging system | Net weight (kg) | 230 |
| | Max. shipping weight | 440 |
| Max. speed (km/h) 6 | Charging system | |
| | Max. speed (km/h) | 6 |



The perfect ride-on solution for scrubbing and drying

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

| | Accessories | Ref. no. | Min. required | AS710R-EU RIDE-ON SCRUBBER 24V | AS710R-US RIDE-ON SCRUBBER 24V | AS710R-NB RIDE-ON SCRUBBER NO BATTERY |
|--|---------------------------------------|----------|------------------|---|---|--|
| Disc Brush | | | | | | |
| | BRUSH DISC 13INCH MID GRIT 0.9MM BLUE | VR14307 | 2 | 0 | 0 | |
| | BRUSH DISC 355MM 14 PPL | VR14300 | 2 | • | • | • |
| | BRUSH PPL 406MM 16" | VR19120 | 2 | | | |
| Pad Holder | | | | | | |
| | PAD HOLDER 355MM 14 | VR14303 | 2 | • | • | • |
| | PAD HOLDER 406MM 16" | VR19121 | 2 | | | |
| Squeegee Bla | ade | | | | | |
| | BLADE SQUEEGEE FRONT LINATEX 940MM 37 | VR16002L | 1 | 0 | 0 | |
| | BLADE SQUEEGEE FRONT PU 940MM 37 | VR16002 | 1 | • | • | • |
| ome and a second a | BLADE SQUEEGEE REAR LINATEX 940MM 37 | VR16003L | 1 | 0 | 0 | |
| | BLADE SQUEEGEE REAR PU 940MM 37 | VR16003 | 1 | • | • | • |
| | BLADE SQUEEGEE FRONT PU 1020MM 40 | VF84207 | 0 | | | |



| | Accessories | Ref. no. | Min. required | AS710R-EU RIDE-ON SCRUBBER 24V | AS710R-US RIDE-ON SCRUBBER 24V | AS710R-NB RIDE-ON SCRUBBER NO BATTERY | |
|-----------------------------|-------------------------------------|----------|------------------|---|---|--|--|
| | BLADE SQUEEGEE REAR PU 1020MM 40 | VF84208 | 0 | | | | |
| Viper Accesso | ory | | | | | | |
| ₭. | CHARGER ON BOARD KIT EU | VR13240 | 1 | • | | • | |
| | KIT FRONT BUMPER | VR10027 | 1 | • | • | • | |
| . ,, | KIT WARNING LIGHT | VR17160 | 1 | | | 0 | |
| Deck Blade | | | | | | | |
| ийн | BLADE SIDE SKIRT RUBBER KIT | VR14015 | 2 | • | • | • | |
| | BLADE SIDE SKIRT RUBBER KIT | VR19123 | 2 | | | | |
| External Char | ger | | | | | | |
| 8 | CHARGER HF 24V 25A SB120R | 80542425 | 0 | | | | |
| 8 | CHARGER HF 24V 25A SB175R | 80542426 | 1 | 0 | | 0 | |
| Battery | | | | | | | |
| Or 2 May | BATT. 6V-180AH GEL MONOBLOC | 80564000 | 4 | | | | |
| FI 06 200 A SUCYAFFORM PD 8 | BATT. 6V-200AH WET TUBULAR MONOBLOC | 80563200 | 4 | | | | |
| Battery and C | Battery and Charger | | | | | | |
| DRYCELL | BATT.6V-222AH AGM MONOBLOC | 80566222 | 0 | | | | |



| | Accessories | Ref. no. | Min. required | AS710R-EU RIDE-ON SCRUBBER 24V | AS710R-US RIDE-ON SCRUBBER 24V | AS710R-NB RIDE-ON SCRUBBER NO BATTERY |
|--------------|-------------------------|----------|------------------|---|---|--|
| Accessory Ki | Accessory Kit | | | | | |
| | BATTERY TRAY | VR10048 | 0 | 0 | 0 | 0 |
| On-Board Ch | On-Board Charger | | | | | |
| | CHARGER ON BOARD KIT US | VR13442 | 1 | | • | |

Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Standard equipment | Standard equipment, ○ Supplementary accessories, □ Mountable equipment | | | | | |
|--|--|----------|------------------|--|--|---|
| | Accessories | Ref. no. | Min. required | AS850R-EU RIDER NO BATTERY NO CHARGER | AS850R-TR RIDER NO BATTERY NO CHARGER | AS850R-US RIDER NO BATTERY WITH CHARGER |
| Disc Brush | | | | | | |
| | BRUSH DISC 13INCH MID GRIT 0.9MM BLUE | VR14307 | 2 | | | |
| | BRUSH DISC 355MM 14 PPL | VR14300 | 2 | | | |
| | BRUSH PPL 406MM 16" | VR19120 | 2 | • | • | • |
| Pad Holder | | | | | | |
| (0) | PAD HOLDER 355MM 14 | VR14303 | 2 | | | |
| | PAD HOLDER 406MM 16" | VR19121 | 2 | • | • | • |
| Squeegee Bla | ade | | | | | |
| | BLADE SQUEEGEE FRONT LINATEX 940MM 37 | VR16002L | 1 | | | |
| | BLADE SQUEEGEE FRONT PU 940MM 37 | VR16002 | 1 | | | |
| | BLADE SQUEEGEE REAR LINATEX 940MM 37 | VR16003L | 1 | | | |



| | Accessories | Ref. no. | Min. required | AS850R-EU RIDER NO BATTERY NO CHARGER | AS850R-TR RIDER NO BATTERY NO CHARGER | AS850R-US RIDER NO BATTERY WITH CHARGER |
|---------------|-----------------------------------|----------|------------------|--|--|---|
| - | BLADE SQUEEGEE REAR PU 940MM 37 | VR16003 | 1 | | | |
| | BLADE SQUEEGEE FRONT PU 1020MM 40 | VF84207 | 0 | • | • | • |
| | BLADE SQUEEGEE REAR PU 1020MM 40 | VF84208 | 0 | • | • | • |
| Viper Accesso | ory | | | | | |
| €. | CHARGER ON BOARD KIT EU | VR13240 | 1 | | | |
| 4 | KIT FRONT BUMPER | VR10027 | 1 | • | • | • |
| ,, | KIT WARNING LIGHT | VR17160 | 1 | 0 | 0 | 0 |
| Deck Blade | | | | | | |
| 1011 | BLADE SIDE SKIRT RUBBER KIT | VR14015 | 2 | | | |
| | BLADE SIDE SKIRT RUBBER KIT | VR19123 | 2 | • | • | • |
| External Char | ger | | | | | |
| 8 | CHARGER HF 24V 25A SB120R | 80542425 | 0 | 0 | 0 | |
| 8 | CHARGER HF 24V 25A SB175R | 80542426 | 1 | 0 | 0 | |
| Battery | | | | | | |
| Z S | BATT. 6V-180AH GEL MONOBLOC | 80564000 | 4 | | | |



| | Accessories | Ref. no. | Min. required | AS850R-EU RIDER NO BATTERY NO CHARGER | AS850R-TR RIDER NO BATTERY NO CHARGER | AS850R-US RIDER NO BATTERY WITH CHARGER |
|---------------------------------------|-------------------------------------|----------|------------------|--|--|---|
| Cassale FT 06 200 Lucrost Seess TO 90 | BATT. 6V-200AH WET TUBULAR MONOBLOC | 80563200 | 4 | | 0 | |
| Battery and C | Charger | | | | | |
| DRY CELL | BATT.6V-222AH AGM MONOBLOC | 80566222 | 0 | 0 | 0 | |
| Accessory Ki | Accessory Kit | | | | | |
| | BATTERY TRAY | VR10048 | 0 | 0 | 0 | 0 |
| On-Board Ch | On-Board Charger | | | | | |
| | CHARGER ON BOARD KIT US | VR13442 | 1 | | | • |

 $[\]bullet$ Standard equipment, \circ Supplementary accessories, \square Mountable equipment

| | Accessories | Ref. no. | Min. required | AS850R-CN RIDER - BATTERY AND CHARGER |
|----------------|---------------------------------|----------|------------------|---|
| Disc Brush | | | | |
| BRUSH | DISC 13INCH MID GRIT 0.9MM BLUE | VR14307 | 2 | |
| BRUSH | DISC 355MM 14 PPL | VR14300 | 2 | |
| BRUSH | PPL 406MM 16" | VR19120 | 2 | • |
| Pad Holder | | | | |
| PAD HO | LDER 355MM 14 | VR14303 | 2 | |
| PAD HO | LDER 406MM 16" | VR19121 | 2 | • |
| Squeegee Blade | | | | |



| | Accessories | Ref. no. | Min. required | AS850R-CN RIDER - BATTERY AND CHARGER |
|---------------|---------------------------------------|----------|------------------|---|
| | BLADE SQUEEGEE FRONT LINATEX 940MM 37 | VR16002L | 1 | |
| | BLADE SQUEEGEE FRONT PU 940MM 37 | VR16002 | 1 | |
| | BLADE SQUEEGEE REAR LINATEX 940MM 37 | VR16003L | 1 | |
| | BLADE SQUEEGEE REAR PU 940MM 37 | VR16003 | 1 | |
| | BLADE SQUEEGEE FRONT PU 1020MM 40 | VF84207 | 0 | • |
| | BLADE SQUEEGEE REAR PU 1020MM 40 | VF84208 | 0 | • |
| Viper Accesso | ory | | | |
| ₭. | CHARGER ON BOARD KIT EU | VR13240 | 1 | |
| | KIT FRONT BUMPER | VR10027 | 1 | • |
| • | KIT WARNING LIGHT | VR17160 | 1 | 0 |
| Deck Blade | | | | |
| 11111 | BLADE SIDE SKIRT RUBBER KIT | VR14015 | 2 | |
| | BLADE SIDE SKIRT RUBBER KIT | VR19123 | 2 | • |
| External Char | ger | | | |



| | Accessories | Ref. no. | Min. required | AS850R-CN RIDER - BATTERY AND CHARGER |
|-----------------------------|-------------------------------------|----------|------------------|---|
| 8 | CHARGER HF 24V 25A SB120R | 80542425 | 0 | |
| 8 | CHARGER HF 24V 25A SB175R | 80542426 | 1 | |
| Battery | | | | |
| G 12 MA | BATT. 6V-180AH GEL MONOBLOC | 80564000 | 4 | |
| Classic Florida School Ph S | BATT. 6V-200AH WET TUBULAR MONOBLOC | 80563200 | 4 | |
| Battery and C | harger | | | |
| DRY CELL | BATT.6V-222AH AGM MONOBLOC | 80566222 | 0 | |
| Accessory Kit | | | | |
| | BATTERY TRAY | VR10048 | 0 | 0 |
| On-Board Cha | arger | | | |
| | CHARGER ON BOARD KIT US | VR13442 | 1 | |

